

└ /, --04

└ ʝ

Ḑṑ ḑ ., . 1 , 3-

ψ ψ 9 ,

Λ ʝ

Ḑ

“ Ḑ ” “ Ḑ ”

ψ ḡ ψ

., . 1

-- . 3

Ḑ ψ

ṑ

9

ψ

., . 1

-- . 0

h ʝ β

ṑ ʝ

ψ

ḑ

ʝ

5 O

ḑ ʝ

5 O ì

ḑ ṑ

ĩ

ṑ

ḑ ʝ ψ

Ḑ

2 ↓

ψ

ψ

9

ṑ

Ḑ

Ḑ

ṑ

ψ ψ

,

ψ

ṑ

ψ

ψ

=

=

ψ

2

ĩ

=

ʝ

Ḑ ṑ

ĩ

ṑ

ṑ

ʝ

ʝ

W “ W ” ‘Ẽ ٱ Û ‘Y
W ‘Ẽ 5̃ — ‘Ẽ ⅞ غ
ٱ ‘Ẽ 4̃ —
ʔ غ ‘Ẽ ’ ٱ ʔ
٧١ ʔ ٱ ٱ

‘Ẽ Ψ . , . 1 Ψ

‘Ẽ Ψ

Ψ ʔ ‘Ẽ Û ٱ ٱ

Û ٱ غ ٱ №
Λ Û ‘Ẽ L Û ٱ غ ٱ
⌊ ʔ □ ^ № ◀ № ٱ √
‰ ٱ Λ ↓

= ٱ r = ’

- Û ٱ

‘Ẽ Û ٱ h Λ ١

٧١ P ٧١ P “ ”
٧١ P ٧١ P “ ” ” -5 O
ٱ ٧١ ‘Ẽ -, , ! U ‘Ẽ

‘Ẽ ١ ‘Ẽ

- Û ٱ √

Û = √ - “H

= 5 □ , ٱ ,

‘Ẽ Ψ

. Û ٱ Û

ü ü h ü ü

ï ü

= 5 □ , ĩ ,

ẽ ψ

/ % 1 † غ ü

ĩ ü % ẽ

ψ ñ ψ = ẽ ρ

٧ ١ ٢ ü . - -2 "H+ γ % || - . ,

ẽ 4,! W ʔ

% ü ẽ E

ü † 2 ψ

“ ψ ” ĩ † “ ” ʔ b

ü E

≠ -9 ,+ -

-9 , = × + -

□ -9 , = × + -

≠ -9 ,

□ - , = × + -

ï , || ü

= ≠ - U ü

= 5 □ , ĩ ,

ẽ ψ

0 ü

E ü

$$\div \ddot{U} \ddot{U}$$

$$\%_0 \ddot{U} \tilde{E} \tilde{E}$$

$$\tilde{E} \omega \tau 9 \Psi$$

$$\Psi \ddot{U} \ddot{U} \ddot{U} \ddot{U}$$

$$\ddot{U} \ddot{U} \Psi \square \gamma \ddot{U}$$

$$\%_0$$

$$= 5 \square , \dot{I} ,$$

$$\tilde{E} \Psi$$

$$1$$

$$A \text{ فف} \ddot{U} \tilde{E}$$

$$\ddot{U} /2 \dot{\rho} \nu U^2$$

$$\dot{\rho} \tilde{E} \mathbb{M} \gamma \ddot{U} U$$

$$2 \gamma \ddot{U} \tilde{E} \lrcorner 2$$

$$\wedge \text{ع} \text{vii} \ddot{U}$$

$$\tilde{E} \ddot{U} /2 \dot{\rho} \nu$$

$$\bar{G} \pi \dot{\varphi} \dot{I} \neq \neq$$

$$\tilde{E} U^2 \dot{\rho}$$

$$\tilde{E} \mathbb{M} \gamma \ddot{U} U^2$$

$$\gamma \ddot{U} \tilde{E} \lrcorner 2$$

$$\vee \Leftrightarrow \text{vii} P \text{vii} P \dot{I} \Leftrightarrow \Leftrightarrow \text{vii} P$$

$$\text{vii} P \ddot{U} \tilde{E} - \tilde{E}$$

$$-.\updownarrow \ddot{U} \tilde{E} \ddot{U}$$

$$/2 \dot{\rho} \nu . \tilde{E}$$

$$-.\updownarrow \ddot{U} \tilde{E} \ddot{U}$$

$$-.\dot{\rho} \nu$$

$$\begin{aligned}
& \dot{\imath} \quad \ddot{\text{U}} \quad \text{'E}^{\sim} \quad \ddot{\text{U}} \\
& -. \quad \acute{\rho} \quad \nu \\
& \quad \quad \quad \Vdash \quad \quad \quad \acute{\imath} \quad \tilde{\text{e}} \quad \vdash \quad \dot{\imath} \\
& \quad \quad \quad \acute{\imath} \quad \tilde{\text{e}} \quad \nu \quad \quad \quad \acute{\imath} \quad \text{r} \quad \quad \quad \tilde{\text{e}} \quad \nu \\
& \% \\
& \quad \quad \quad \acute{\rho} \quad \quad \quad \text{'E}^{\sim} \quad \quad \quad \neq \quad \text{'E} \\
& \quad \quad \quad \lambda \quad \quad \quad \nu \quad \quad \quad \quad \quad \quad \text{U} \quad \dot{\imath} \\
& \quad \quad \quad \acute{\text{G}} \quad \quad \quad \psi \quad \acute{\text{G}} \quad \quad \quad \tau \\
& \quad \quad \quad \vdash \quad \quad \quad \tau \\
& \vdash \\
& = \quad 5 \quad \square \quad , \quad \acute{\imath} \quad , \\
& \quad \quad \quad \text{'E}^{\sim} \quad \psi \\
& 2 \quad \quad \quad \text{No} \quad \neq \\
& \quad \quad \quad \text{'E}^{\sim} \quad \quad \quad \Vdash \quad \quad \quad \text{No} \quad \neq \quad \quad \quad \text{U} \quad \text{'E}^{\sim} \\
& \quad \quad \quad \text{"} \quad \square \\
& = \quad 5 \quad \square \quad , \quad \acute{\imath} \quad , \\
& \quad \quad \quad \text{'E}^{\sim} \quad \psi \\
& 3 \\
& \quad \quad \quad \text{'E}^{\sim} \quad \quad \quad \text{'} \quad \text{т} \\
& \text{т} \quad \quad \quad \int \beta \Vdash \quad \text{'E}^{\sim} \quad \sim \quad \ddot{\omega} \quad \quad \quad \text{h} \\
& \quad \quad \quad \text{т} \quad \quad \quad \int \beta \text{U} \\
& = \quad 5 \quad \square \quad , \quad \acute{\imath} \quad , \\
& \quad \quad \quad \text{'E}^{\sim} \quad \psi \\
& . \quad \ddot{\text{U}} \quad \text{т} \\
& \quad \quad \quad \text{'E}^{\sim} \quad \text{h} \quad \lambda \quad \quad \quad \ddot{\text{U}} \quad \text{т} \quad \quad \quad \text{т}
\end{aligned}$$

$$\square \quad - \quad , \quad = \times \quad + \quad -$$

$$\dot{\mathfrak{i}} \quad , \quad \Vdash \quad \mathfrak{U}$$

$$= \quad \neq \quad - \quad \mathcal{U} \quad \mathfrak{U}$$

$$= \quad 5 \quad \square \quad , \quad \mathfrak{i} \quad ,$$

$$\text{'E}^{\sim} \quad \Psi$$

$$0 \quad \mathfrak{N} \quad \mathfrak{i} \quad \mathfrak{U}$$

$$\mathfrak{N} \quad - , , , , \quad \text{"H} \quad \mathfrak{U}$$

$$- , , ! \quad \mathfrak{N} \quad \mathfrak{U}$$

$$\mathcal{U} \quad \mathfrak{N} \quad \Vdash \quad \text{'E}^{\sim} \quad / , ! \quad \mathfrak{U} \quad . 2 \, 34 \text{"H} +$$

$$\mathfrak{N} \quad \mathfrak{U} = \quad / 3 \, / 0 - . 55 \quad \mathfrak{C}$$

$$= \quad 5 \quad \square \quad , \quad \mathfrak{i} \quad ,$$

$$\text{'E}^{\sim} \quad \Psi$$

$$1$$

$$\mathcal{A} \quad \mathfrak{N} \quad \mathfrak{U} \quad \mathfrak{U} \quad \text{'E}^{\sim} \quad \mathfrak{U}$$

$$- 4 \quad \mathfrak{p} \quad \nu \quad \mathfrak{i} \quad \text{'E}^{\sim} \quad W$$

$$\text{'E} \, \mathcal{M} \quad \mathfrak{W} \quad \mathfrak{U} \, \mathfrak{F} \quad \mathfrak{U} \quad / 2 \quad \mathfrak{p} \quad \nu$$

$$\mathfrak{p} \quad \text{'E}^{\sim} \quad \neq \quad \text{'E}$$

$$\mathcal{A} \quad \nu \quad \mathcal{U} \quad \mathfrak{i}$$

$$\mathfrak{E} \quad \Psi \, \mathfrak{E} \quad \tau$$

$$\vdash \quad \mathcal{A}$$

$$\tau \quad \vdash$$

$$= \quad 5 \quad \square \quad , \quad \mathfrak{i} \quad ,$$

$$\text{'E}^{\sim} \quad \Psi$$

$$2 \quad \mathfrak{N}$$

$\tilde{E}$ ψ ., . 1 ψ ψ 2 ψ
 $\tilde{I}$ ψ 2 ψ

$\tilde{E}$ ψ

ψ 2 $\tilde{I}$ = τ
 p

$\tilde{E}$ $\vdash$ Δ ∞ $\int$
 W $\forall$ $\%$ $\tilde{E}$
 $\cap$ $\dot{I}$ r $\tilde{E}$ ρ N_0
 $\tilde{I}$

., . 1 -- . 3 $\tilde{E}$ L $'$
 $'$ $\vee$ $\vee$ $\square$ $'$., -4

/ - $'$ $\vee$ $\bullet$ χ

ψ $\tilde{E}$ P $'$ 3 $\tilde{E}$
 $\dot{I}$ $'$ 3 ψ $\vee$ $\tilde{E}$ L
 $'$ $\vee$ χ

$'$ $\vee$ $\neq$ $\vdash$ $'$
 $\vee$ $\vee$ $\bullet$ ρ χ
 $\tilde{E}$ L $\tilde{G} \tilde{E}$

$\Vdash$ U $\tilde{E}$ $\dot{I}$ $\wedge$
 L $\dot{I}$ E

$\sim$ $\tilde{E}$ L $\dot{I}$ p

$\lceil$ ξ $\sim$ ψ $\tilde{E}$ -,, ! $\ddot{U}$
 $\circ$ $\tilde{E}$ $\ddot{U}$ ψ $\vee$ ψ
 $\tilde{N}$ ψ = $\Vdash$ -,, ! $U \tilde{E}$ $\vdash$
 ψ $\ddot{U}$ $\dot{I}$ W $\forall$

$\dot{I}$ r ρ $\tilde{E}$ k ki τ

$$\begin{array}{c}
\begin{array}{c} \mathcal{L} \quad \tau \end{array} \quad \begin{array}{c} \tilde{\mathcal{I}} \end{array} \\
\begin{array}{c} \tilde{\mathcal{E}} \end{array} \quad \begin{array}{c} \Psi \quad ., . 1 \end{array} \quad \begin{array}{c} \Psi \end{array} \\
\begin{array}{c} \tilde{\mathcal{E}} \end{array} \quad \begin{array}{c} \Psi \end{array} \\
\begin{array}{c} \Psi \quad 2 \end{array} \quad \begin{array}{c} \mathfrak{I} \end{array} \quad \begin{array}{c} - \end{array} \quad \begin{array}{c} \tau \end{array} \\
\begin{array}{c} \mathfrak{V} \quad " \quad \mathcal{G} \quad \tilde{\mathcal{E}} \end{array} \quad \begin{array}{c} \mathfrak{V} \quad " \quad \mathcal{G} \quad \vdash \end{array} \quad \begin{array}{c} \vdash \end{array} \\
\Leftrightarrow \quad \begin{array}{c} \downarrow \quad ., . 1 \quad \acute{k} \end{array} \quad \begin{array}{c} \tilde{\mathcal{I}} \end{array} \quad \begin{array}{c} \tau \end{array} \\
\begin{array}{c} \Vdash \quad \tilde{\mathcal{E}} \end{array} \quad \begin{array}{c} \tau \quad \tau \end{array} \\
\begin{array}{c} \Delta \end{array} \quad \begin{array}{c} \tilde{\mathcal{E}} \end{array} \quad \begin{array}{c} \mathcal{U} \quad \wedge \end{array} \quad \begin{array}{c} \tilde{\mathcal{E}} \end{array} \\
\mathfrak{D} \quad \begin{array}{c} 1! \end{array} \quad \begin{array}{c} \vdash \end{array} \quad \Leftrightarrow \quad \begin{array}{c} \downarrow \quad ., . 1 \quad \acute{k} \end{array} \\
\begin{array}{c} \tau \end{array} \\
\begin{array}{c} \tilde{\mathcal{I}} \end{array} \quad \begin{array}{c} \top \quad \mathfrak{b} \end{array} \\
\begin{array}{c} \top \quad \mathfrak{V} \quad \tilde{\mathcal{I}} \quad \mathfrak{b} \end{array} \quad \begin{array}{c} \tilde{\mathcal{E}} \quad h \quad \mathfrak{V} \end{array} \quad \begin{array}{c} \tilde{\mathcal{U}} \end{array} \\
\begin{array}{c} \Delta \end{array} \quad \begin{array}{c} \mathcal{G} \end{array} \quad \begin{array}{c} \mathcal{U} \quad \wedge \end{array} \quad \begin{array}{c} \tilde{\mathcal{U}} \quad \acute{\mathcal{I}} \end{array} \quad \begin{array}{c} \mathcal{L} \quad \tau \end{array} \quad \begin{array}{c} \acute{\mathcal{I}} \quad r \end{array} \\
\begin{array}{c} \tilde{\mathcal{E}} \end{array} \quad \begin{array}{c} \mathfrak{p} \end{array} \\
\begin{array}{c} \acute{\mathcal{I}} \quad r \quad \mathfrak{p} \end{array} \quad \begin{array}{c} \tilde{\mathcal{E}} \end{array} \quad \begin{array}{c} k \quad ki \end{array} \quad \begin{array}{c} \tau \end{array} \\
\begin{array}{c} \mathcal{L} \quad \tau \end{array} \quad \begin{array}{c} \tilde{\mathcal{I}} \end{array} \\
\begin{array}{c} \tilde{\mathcal{E}} \end{array} \quad \begin{array}{c} \Psi \quad ., . 1 \end{array} \quad \begin{array}{c} \Psi \end{array} \quad \begin{array}{c} \Psi \end{array} \quad \begin{array}{c} 2 \quad \Psi \end{array} \\
\begin{array}{c} \tilde{\mathcal{E}} \end{array} \quad \begin{array}{c} \Psi \end{array} \\
\begin{array}{c} \mathcal{E} \quad \Psi \quad 2 \end{array} \quad \begin{array}{c} \mathfrak{I} \end{array} \quad \begin{array}{c} - \end{array} \quad \begin{array}{c} \tau \end{array} \\
\begin{array}{c} \tilde{\mathcal{E}} \end{array} \quad \begin{array}{c} 5 \quad \tilde{\mathcal{U}} \end{array} \quad \begin{array}{c} \mathfrak{V} \quad 75 \quad \tilde{\mathcal{U}} \end{array} \quad \begin{array}{c} \tilde{\mathcal{I}} \end{array} \\
\begin{array}{c} \mathfrak{V} \quad 75 \end{array} \quad \begin{array}{c} \mathfrak{V} \quad 7 \end{array} \\
\begin{array}{c} \tilde{\mathcal{E}} \end{array} \quad \begin{array}{c} \tilde{\mathcal{U}} \end{array} \\
\begin{array}{c} \mathfrak{V} \quad \tilde{\mathcal{U}} \end{array} \quad \begin{array}{c} \tilde{\mathcal{I}} \end{array} \quad \begin{array}{c} \mathfrak{V} \quad \tilde{\mathcal{I}} \end{array} \quad \begin{array}{c} \mathfrak{V} \end{array} \\
\begin{array}{c} \mathfrak{V} \end{array} \quad \begin{array}{c} \mathcal{G} \end{array} \quad \begin{array}{c} = \end{array} \quad \begin{array}{c} \tau \end{array}
\end{array}$$

ĩ τ b U Ẽ τ
 ٱ ٱ ٱ Û
 P ψ ψ
 Ẽ ψ ., .1 ψ
 Ẽ ψ
 ψ 2 ĩ = τ
 5 Ẽ W 7 M M ĩ
 M
 Ẽ ∞
 W M M Ğ M ĩ r ' τ
 - W M
 - Ğ τ Ġ ĩ
 ٱ Ğ
 . U ψ Ẽ τ
 / ĩ ٱ " Ğ ٱ
 τ ٱ ĩ τ ρ τ ٱ ٱ ٱ ٱ ٱ ẼH
 Ẽ Ğ τ
 0 Ẽ -, , ! Ẽ
 ~ L τ ٱ ĩ ٱ
 Ġ ĩ ≠ L
 τ
 L
 U Ẽ ã ã ٱ ĩ ã ã ٱ
 1 ≠ Ẽ ٱ ~ Ẽ U
 ĩ r ٱ
 2 ≠ Ẽ ٱ ٱ 2

$$\begin{array}{ccccccc} \mathbb{L} & \overset{\gamma}{\mathbb{I}} & \overset{\gamma}{\mathbb{I}} & \gamma & \bar{G} & & \vdash & 2\psi & & \text{“} \\ \psi & \text{”} & \gamma & & \tilde{E} & & \gamma & & & \end{array}$$
$$3 \neq \tilde{E} \quad \bar{G} \quad \tilde{a} \quad \eta$$

• W V

$$- \quad \Psi \quad \vdash \quad \tilde{E} \quad \vdash \quad \Psi \quad \wp \not\equiv \dot{\imath} \quad \% \quad \bar{G}$$

၃

$$E^{\tilde{x}} \text{ } \tilde{t} \text{ } \tilde{i} \text{ } 2 \text{ } \tilde{x} \text{ } \tilde{y}$$
$$\mathfrak{H} \quad \quad \quad \Psi$$
$$/\quad \text{ }^{\circ}\text{I} \qquad \Psi \qquad \dot{\text{I}}$$

/ W V

$$- \neq \tilde{E} \quad \xi \quad \zeta \quad \psi$$
$$\vdash \neg \exists x (\varphi(x) \wedge \psi(x)) \rightarrow \forall x (\varphi(x) \rightarrow \neg \psi(x))$$

• ρ

$$w$$
$$/\quad \text{'E}^{\sim}\quad \vdash\quad \dot{!}\quad \vee\quad \square$$
$$\dot{t} \quad r \quad \dot{\rho} \quad E^{\tilde{x}} \quad k \quad ki \quad \tau$$

8 E^z W M M غ M

$$\tilde{E} \quad \psi \quad ., .1 \quad \psi$$
$$\tilde{E} \quad \psi$$
$$\tilde{\eta} \quad \psi \quad 2 \quad \tilde{\eta} \quad - \quad \eta$$

5 'Ẽ | ũ 'Y W 7 M

$$\tilde{E} \quad \infty \quad \Psi_9 \quad \tilde{E}$$
$$\tilde{E} \quad \vdash \quad \tilde{U} \quad \gamma \quad W \quad \forall \quad h \quad \tilde{U}$$

- $\tilde{E}$ -, , ! $\tilde{I}$ $\bar{G}$ ‰
 $\sim$ $\frac{7}{8}$ τ $\tilde{I}$ τ
 ‰ ‰ $b \neq$

· vii
 $\neq$ L $\neq$ $\tilde{I}$ vii
 ,

/ $\neq$ $\tilde{E}$ $\neq$ $\tilde{E}$ 2
 ف $\bar{G}$

0 $\neq$ $\tilde{E}$ ζ ψ $\vdash$ ' $\tilde{U}$
 $\neq \tilde{I}$ $\neq$ $\tilde{E}$ $\neq$ ζ $\neq$ $\tilde{E}$ ψ
 $\neq \tilde{I}$ $\tilde{I}$ $\tilde{E}$ τ

$\tilde{I}$ r ρ $\tilde{E}$ k ki τ
 vii 8 $\tilde{E}$ $\tilde{E}$ — $\tilde{E}$ $\frac{7}{8}$ غ

$\tilde{E}$ ψ . , . 1 ψ
 $\tilde{E}$ ψ
 $\forall$ ψ 2 $\tilde{I}$ = τ
 vii 5 $\Leftrightarrow$ $\tilde{E}$ W 7 $\forall \tilde{I}$ $\forall$
 $\tilde{I}$ 5 $\vdash$ $\tilde{E}$ $\uparrow$ 7 $\tilde{I}$
 $\tilde{E}$ ∞ $\tilde{E}$ vii $\Leftrightarrow$ $\tilde{E}$ W
 “ W ” $\forall \tilde{I}$ $\forall$ $\tilde{I}$
 $\vdash$ $\tilde{E}$ $\uparrow$ “ $\uparrow$ ”
 $\tilde{I}$ $\tilde{I}$ r
 - vii W $\forall \tilde{I}$ غ $\uparrow$ $\tilde{I}$

W $\mathcal{M}$ $\tilde{\eta}$ “ $E^\sim$ $\ddot{u}$
 $\Leftrightarrow$ β $E^\sim$
 $\square$ ” $\updownarrow$ $\tilde{\eta}$ “ $\Leftrightarrow$ $E^\sim$
 $\Leftrightarrow$ β $E^\sim$
 $\square$ ”
 $E^\sim$ $\ddot{u}$
 $\check{i}$ $\check{r}$ $\ddot{u}$ آف $\vdash$
“ $\vdash$
” $\uparrow$
 $\mathcal{C}$ L r N_0 . $\mathcal{C}$ $\neq$ $\dot{Y}$ L
. $\mathcal{C}$ $\mathcal{C}$. $\mathcal{C}$ a
 $\neq$ $\check{i}$ $\mathcal{M}$
 $\mathcal{C}$ $\mathcal{V}$. $\check{i}$ $\mathcal{V}$ r $E^\sim$ $\Leftrightarrow$
 β
 $E^\sim$ N_0 L
 N_0 $\check{i}$ $\bar{G}$ $\check{i}$
 $=$ $E^\sim$ $\vdash$ $\downarrow$ N_0 $\check{i}$ N_0
 $\mathcal{V}$ $\ddot{u}$ $\mathcal{C}$ $\ddot{u}$ $\mathcal{C}$ $\check{i}$ L
 $\vdash$
 $E^\sim$ $\mathcal{C}$ $E^\sim$ $\mathcal{I}$ $\mathcal{Z}$ $\mathcal{N}$ N_0 $\check{i}$ $\mathcal{N}$ N_0 $N_0 \neq$ $\mathcal{I}$
 $\mathcal{C}$ $\mathcal{M}$ $\mathcal{L}$ $E^\sim$ $\mathcal{C}$ $E^\sim$ N_0 $\square$ $\mathcal{I}$
 p $\sim$ $=$ r .
 $=$ $\check{i}$ $\ddot{u}$ h $\mathcal{M}$ $\check{i}$ r
 $E^\sim$ $\check{i}$ $\mathcal{I}$ U $\mathcal{I}$
 $\check{i}$ $E^\sim$ $\sim$
 $=$ a η
 $E^\sim$ $E^\sim$ $\vdash$ $\mathcal{M}$ $\mathcal{L}$ $\mathcal{C}$ $\mathcal{V}$ $\square$

$\tilde{E}$ $\ddot{U}$ η $\uparrow$ vii z $\sim$ $\ddot{U}$

z

$\cdot$ vii W M

W M “ $\tilde{E}$ $\ddot{U}$

$\ddot{U}$ γ $\check{\alpha}$ N_0 $\tilde{\eta}$ M $\check{\alpha}$ $\ddot{U}$

$\Psi = \tilde{E} \varrho \parallel_F M$ $\tilde{E} M$ M

$\tilde{E}$ ”

$\%$ $\tilde{E}$ Ψ $\tilde{\eta}$ $\Psi = \tilde{E} \varrho$ $\ddot{U}$

$\ddot{U}$ $\cdot - -2 \text{ "H+}$ γ $\%$ $\parallel_F -.$,

$\tilde{E}$ $4, !$ vii W M

$\acute{\imath} \text{ }_r \dot{\rho}$ $\tilde{E}$ $k \text{ }_{ki}$ τ

$\text{vii} \text{ } 8 \Leftrightarrow$ $\tilde{E}$ W $M \tilde{\eta}$ M $\check{\imath} \text{ } 8$

$\vdash$ $\tilde{E}$ $\updownarrow$ $\tilde{\eta}$

$\tilde{E}$ $\Psi \text{ } ., .1$ Ψ

$\tilde{E}$ Ψ

M Ψ 2 $\mathfrak{l}$ τ

τ _r 5 $\tilde{E}$ $0 \sim \text{---}$ $\tilde{E}$

τ 7 M $\check{\imath} \text{ } 5$ $\vdash$ $\tilde{E}$

$1 \sim \text{---}$ 7 M

$\check{\imath}$ $\tilde{E}$ $3 \sim \text{---}$ $\tilde{E}$ τ

$\tilde{E}$ $\downarrow$ _r $\vdash$ $\tilde{E}$

$4 \sim \text{---}$ $M \tilde{\eta}$ $\downarrow$ _r

τ $\dot{\rho}$ $\mathfrak{u}$ $/2$ $\dot{\rho}$

τ $\dot{\rho}$ $\Psi \mathfrak{b} \mathfrak{F}$ $\tilde{\sim}$ $\tau \text{ }_{\mathfrak{u}}$

$\frac{5}{8}$

τ _r $\mathfrak{u}$ $\tilde{E}$ $3 \sim \text{---}$

E^x

7

M

i^v

+

E

٧١١

$\tilde{E}$ Ψ ., . 1 Ψ

$\tilde{E}$ Ψ

Ψ Ψ 2 $\mathfrak{I}$ = τ

$\mathfrak{I} \Psi$ $\rho \tilde{E}$ $\mathfrak{F}$ ف ' ,

τ W Ψ " $\tilde{E}$ Ψ ρ $\square$ W

L ρ $\sim$

Ψ W Ψ غ

3 $\mathfrak{I}$ $\square$ L

$\square$ $\vdash$ Ψ $\mathfrak{I}$ $\sim$ $\square$

τ "

Ψ_9 $\tilde{E}$ $\mathfrak{I} -.$ ρ $\mathfrak{U}$

W τ $\mathfrak{F}$ ف $\sim$

,

$\tilde{E}$ Ψ ., . 1 Ψ

$\tilde{E}$ Ψ

Ψ Ψ 2 $\mathfrak{I}$ = τ

$\mathfrak{U}$ $\bar{G}$ $\mathfrak{I} \bar{G}$ L

$\bar{G}$ $\neq$ $\vdash$ $\tilde{E}$ $\mathfrak{I}$ " غ

$\vdash$ $\tilde{E}$ H W W $\tilde{E}$

$1 \sim$ — $\tilde{E}$ ρ H L τ

$\mathfrak{U}$ $\bar{G}$ $\mathfrak{I} \bar{G}$ L $\mathfrak{I}_r$,

- $\tilde{E}$ $L \rho$ H $\sim$ τ

H 2

. $\tilde{E}$ $L \mathfrak{b}$ ρ H L

τ 2 τ $\ddot{t}$ h
/ $\tilde{E}$ τ $\acute{p}$ H $\bar{G}$ ξ $\acute{p}$ ϑ $\vdash$
 ϑ $\acute{p}$ H 2 $\bar{G}$ $\vdash \xi$ $\acute{p}$ H ω $\Vdash$
 $\tilde{E}$ $\acute{p}$ H $\neq$ $\acute{p}$ H $\vee \tilde{E}$
0 $\tilde{E}$ $\vee$ $\bar{G}$ $\ddot{t}$
 τ H $\bar{G}$ $\vdash$
1 $\tilde{E}$ $\vee$ $\bar{G}$ $\vee$ $\vee$
 $\ddot{t}$ τ 2 $\bar{G}$ $\vdash$
2 $\tilde{\omega}$ $\acute{p}$ H $\tilde{E}$ $\neg$ $\tilde{E}$ τ
h $\tilde{E}$ $\dots 1$ $--$ -3
 $\mathring{A}$ $\tilde{E} \vartheta$ $\wedge$ $\vee$ $\tilde{E}$ τ $\frac{7}{8}$
 $\mathring{A}$ $\tilde{E} \vartheta$ $\exists$ $\dots 1$ $--$ $\dots$ $\wedge$ $\vee$ $\tilde{E}$ τ
 $\frac{7}{8}$ $\mathring{A}$ $\tilde{E} \vartheta$
 $\acute{t}$ r $\acute{p}$ $\tilde{E}$ k ki τ
 $\ddot{u}$ $\bar{G}$ $\ddot{t}$ $\bar{G}$ L
 $\tilde{E}$ Ψ $\dots 1$ Ψ
 $\tilde{E}$ Ψ
 Ψ Ψ 2 $\ddot{t}$ $=$ τ
H $\tilde{E}$ $\Vdash$ $\neg$ $,$
 $\tilde{E}$ $\ddot{t}$ τ $\mathfrak{b}$ $\tilde{E}$
 $\approx$ $\dots 1$ $--$ -3 $\mathring{A}$ $\tilde{E}$ $\mathring{A}$ $\Vdash$
 $\dots$ $\acute{p} \tilde{E}$ $\Leftrightarrow$ $\dots$ /55- $\dots$ $\ddot{t}$ $\tilde{E}$ " $\bar{G}$
/55. 00 $,$

	$\mathring{A}$ $\Vdash$ 21 2025 10 17	$\mathring{A}$ $\Vdash$ 1 2025 11 14	
$\tilde{E}$ "H/	/ 0 05	// , /	0 . /!

$\tilde{E}$ Ψ
 $\mathbb{M}$ Ψ 2 $\mathfrak{l}$ $-$ $\mathfrak{r}$
 9 $\tilde{E}$ Ψ $\mathfrak{r}$
 $\mathfrak{l}$ $\mathfrak{T}$ $\mathfrak{b}$ $\tilde{E}$ 9 Ψ
 $\mathfrak{r}$ $\mathfrak{l}$ $\mathfrak{T}$ $\mathfrak{b}$ $\mathbb{U}$ $\tilde{E}$ 3
 $\mathbb{U}$ 9 Ψ $\mathfrak{r}$ $\tilde{E}$ Ψ
 $\mathfrak{i}$ $\mathfrak{r}$ $\mathfrak{p}$ $\tilde{E}$ $\mathfrak{k}$ $\mathfrak{k}\mathfrak{i}$ $\mathfrak{r}$ 9
 Ψ $\mathfrak{r}$ $\tilde{E}\mathfrak{p}$
 $\tilde{E}$ Ψ $.,.1$ Ψ

$-$ $\tilde{E}$ Ψ $\mathfrak{p}$ $\mathfrak{p}$ $=$
 $.$ $\tilde{E}$ $\mathfrak{p}$ Ψ $=$
 $/$ $\tilde{E}$ 2 Ψ Ψ $=$
 0 $\tilde{E}$

$\mathbb{Z}$

$\mathbb{N}$